


E P I C
D E S I G N



VERSATILE PROPORTIONS

Tiles are versatile and durable building materials that offer a wide range of features. They come in various sizes, shapes, colors, and materials, allowing for endless design possibilities.



BUILT TO RESEMBLE ANCIENT MARVEL

Our surfaces are inspired from ancient European marvel that simply enhance any ambiance to the next level. We offer fabulous designs in it that suits every decor.





HYGIENIC SURFACE TO PROTECT YOUR FAMILY

Our anti bacterial and other advanced features in tiles make us perfect choice.



WATER
ABSORPTION



FROST
RESISTANCE



IMPACT
RESISTANCE



CHEMICALS
RESISTANCE




ABRASION
RESISTANCE



STAINS
RESISTANCE

VERSATILE CHOICE FOR EVERY AMBIANCE

It is used in residential, commercial or any other public place with high traffic footfall.



HOTELS




RESTAURANT




OFFICE



BATH ROOM



KITCHEN



LIVING ROOM


FINISH

Matt

SIZE

800x1600

CALCE BIANCO



FINISH

Matt

SIZE

800x1600

CALCE GREY




FINISH

Matt

SIZE

800x1600

CALCE IVORY



FINISH

Matt

SIZE

800x1600

CALCE MINK



FINISH

Matt

SIZE

800x1600

EVON WHITE



FINISH

Matt

SIZE

800x1600

IROX BIANCO




FINISH

Matt

SIZE

800x1600

IROX GREY




FINISH

Matt

SIZE

800x1600

IROX OCHRE




FINISH

Matt

SIZE

800x1600

IROX SAND




FINISH

Matt

SIZE

800x1600

MORGAN BIANCO




FINISH

Matt

SIZE

800x1600

MORGAN GREY




FINISH

Matt

SIZE

800x1600

MORGAN GRIS




FINISH

Matt

SIZE

800x1600

MORGAN IVORY




FINISH

Matt

SIZE

800x1600

MORGAN LIGHT GREY



FINISH

Matt

SIZE

800x1600

TORTOSA BIANCO



FINISH

Matt

SIZE

800x1600

TORTOSA GREY



FINISH

Matt

SIZE

800x1600

TORTOSA IVORY



FINISH

Matt

SIZE

800x1600

TORTOSA OCHRE



FINISH

Matt

SIZE

800x1600

TORTOSA SAND



TECHNICAL SPECIFICATION

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	VALUE
Length and width	BS EN ISO 10545-2	±0.6%	±0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	±3.0%
Straightness of sides	BS EN ISO 10545-2	±0.5%	±0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	±0.3%
Surface flatness	BS EN ISO 10545-2	±0.5%	±0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm²	≥ 45N/mm²
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm³	≤ 150mm³
Linear thermal expansion	BS EN ISO 10545-8	≤9 x 10 ⁻⁸ °C¹	≤9 x 10 ⁻⁶ °C¹
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in color
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion	-	Nil	Nil

PACKING DETAILS

Size	Pcs/Box	Weight (Approx)	Thickness (Approx)	SQ.M / Box
120x180cm	2	90 kg	9mm	4.32
120x120cm	2	58 kg	9mm	2.88
80x160cm	2	52 kg	9mm	2.56
80x80cm	3	38 kg	9mm	1.92
60x120cm	2	28 kg	8.5mm	1.44
60x60cm	4	27 kg	8mm	1.44
30x60cm	6	22 kg	9mm	1.08

Note :